

**COMPLETE LISTING OF CLAIMS  
IN ASCENDING ORDER WITH STATUS INDICATOR**

B<sup>1</sup>  
1. (Currently Amended) An adhesive resin composition comprising a mixture of a liquid matrix resin and a ferrite powder, said liquid matrix resin containing at least one of the following ingredients (A) and (B):

—(A) a polyamic acid; and

—(B) a resin having an imide bond, being capable of an addition reaction with an amine or capable of self-polymerization, and being capable of dissolving in an organic solvent which becomes a polyimide resin after curing.

2. (Cancelled)

3. (Currently Amended) An adhesive resin composition according to claim 1 ~~or claim 2~~, wherein 200 to 1500 parts by weight of said ferrite powder is contained in said adhesive resin composition relative to 100 parts by weight of a resin ingredient in said liquid matrix resin.

4. (Original) An adhesive resin composition according to claim 3, wherein said ferrite powder has a mean grain size from 0.01 mm to 5 mm.

5. (Currently Amended) An adhesive resin composition according to claim 1 ~~or claim 2~~ wherein said ferrite powder has a mean grain size from 0.01 mm to 5 mm.

6 – 11 (Withdrawn).

12. (New) An adhesive resin composition according to claim 1, wherein the polyamic acid is the reaction product of a tetracarboxylic anhydride and a diamine.

13. (New) An adhesive resin composition according to claim 12, wherein the tetracarboxylic anhydride is at least one selected from the group consisting of

pyromellitic anhydride, biphenyltetracarboxylic anhydride, benzophenonetetra-carboxylic anhydride, and ethylenetetracarboxylic anhydride.

B1  
cont.

14. (New) An adhesive resin composition according to claim 12, wherein the diamine is at least one selected from the group consisting of diaminodiphenyl ether, diaminodiphenyl sulfone, diaminodiphenylmethane, and aminobenzylamine.

15. (New) An adhesive resin composition according to claim 3, wherein the polyamic acid is the reaction product of a tetracarboxylic anhydride and a diamine.

16. (New) An adhesive resin composition according to claim 15, wherein the tetracarboxylic anhydride is at least one selected from the group consisting of pyromellitic anhydride, biphenyltetracarboxylic anhydride, benzophenonetetra-carboxylic anhydride, and ethylenetetracarboxylic anhydride.

17. (New) An adhesive resin composition according to claim 15, wherein the diamine is at least one selected from the group consisting of diaminodiphenyl ether, diaminodiphenyl sulfone, diaminodiphenylmethane, and aminobenzylamine.

18. (New) An adhesive resin composition according to claim 5, wherein the polyamic acid is the reaction product of a tetracarboxylic anhydride and a diamine.

19. (New) An adhesive resin composition according to claim 18, wherein the tetracarboxylic anhydride is at least one selected from the group consisting of pyromellitic anhydride, biphenyltetracarboxylic anhydride, benzophenonetetra-carboxylic anhydride, and ethylenetetracarboxylic anhydride.

20. (New) An adhesive resin composition according to claim 18, wherein the diamine is at least one selected from the group consisting of diaminodiphenyl ether, diaminodiphenyl sulfone, diaminodiphenylmethane, and aminobenzylamine.

---

Application No.: 09/854,767

Docket No.: M1071.1329/P1329